This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

RESOURCE CONSUMPTION CALCULATOR Albert Hasper

Appl. No.: Unknown Atty Docket: ASMINT.017AUS



RESOURCE CONSUMPTION CALCULATOR

Albert Hasper

Appl. No.: Unknown Atty Docket: ASMINT.017AUS

2/11




FIG. 2

Ł.

RESOURCE CONSUMPTION CALCULATOR Albert Hasper Appl. No.: Unknown Atty Docket: ASMINT.017AUS

Report: Green Tool overview -	overview - [Tool: DEM1	-				
Start time: [2	Start lime: [2000-10-01 00:00:00]	End time: 2000-11-01	00-11-01 23:59:59			<u> </u>
. :						
Channel	Unit	T1: 0XI1	T2: LPC1-2	\square		
Ar	SI	8182.59	I	8182.59		4
SOO	SI	1	455.40	455.40		
Exhaust	N^3	11309540.24	11252595.11	22562135.35		
H2	SCC	8447.01	1	8447.01		
N2	S	433219.72	1876721.98	2309941.70		
N2 Carousel	7S	354198.17	1	354198.17		
N2 Purge	75	193544.55	6305.37	199849.92		
N2-Bubbl	SL	360.59	1	360.59		
NH3	S	1	0.00	0.00		
ON ON	SL	259.55	1	259.55		
02	S	12991.83	1	12991.83	`	
PH3/N2	၁၁Տ	-	1391717.47	1391717.47		
Power	Kwh	53.87	41.28	95.15		
SiH4	SI	ı	0.00	0.00		
Teos	75	ı	5613.88	5613.88		
Water	7	1945579.87	15893389.20	3534918.07		D
lacksquare						
Exit	Filter	Print Print	Print Setup Export			
	V	Tibe 2. Will.	Alarm Tito 2: WUC. BTM Arm: WUB door switch	40.17		F
	X	וחווו וחחב ל. חוור.				

RESOURCE CONSUMPTION CALCULATOR Albert Hasper

Appl. No.: Unknown Atty Docket: ASMINT.017AUS




FIG. 4



. RESOURCE CONSUMPTION CALCULATOR Albert Hasper Appl. No.: Unknown Atty Docket: ASMINT.017AUS

pi. No.: Olikhowii Ally Dockel: Asiv.





FIG. 5



RESOURCE CONSUMPTION CALCULATOR Albert Hasper


Appl. No.: Unknown Atty Docket: ASMINT.017AUS





RESOURCE CONSUMPTION CALCULATOR Albert Hasper

Appl. No.: Unknown Atty Docket: ASMINT.017AUS



APR 2 3 2004 G.

RESOURCE CONSUMPTION CALCULATOR Albert Hasper

Appl. No.: Unknown Atty Docket: ASMINT.017AUS





FIG. 8

. RESOURCE CONSUMPTION CALCULATOR Albert Hasper

Appl. No.: Unknown Atty Docket: ASMINT.017AUS





. RESOURCE CONSUMPTION CALCULATOR Albert Hasper Appl. No.: Unknown Atty Docket: ASMINT.017AUS

10/11.




FIG. 10

. RESOURCE CONSUMPTION CALCULATOR Albert Hasper Appl. No.: Unknown Atty Docket: ASMINT.017AUS

_	-	1	_									—)——
			4					\triangleright				
		N2 SL	98484:69	97302.21	62757.88	96316.30	52603.92		407465:00		Unmark Block	
DEM1][Tube1: OXI1]	End time: 2000-07-02 23:59:59	Power Kwh	96'1	7.89	25.80	6.46	3.80		51.91	Nr of samples: 5	Mark Block	
		N2 Purge SL	46078.92	30542.02	15117.32	49076.31	19722.24		160536.81	All The State	5 Export	BTM Elevator: Timeout
		Ar SL	95.20	100.10	101.35	104.47	55.41	·	456.53	Sample Nr: [Print Setup	
		NZ Carousel SL	292453.27	209270.93	56008.93	248741.58	166886.02	973540.73		Channel choice	Alarm Tube 2: WHC: BTM Elevator: Timeout	
- [Tool:	00-02-29 00:00:00	ON.	0:00	0.00	0.00	0.00	0.00		00:00	05–29	Filter	
Report: Green Tool detail	Start time: 2000-05-29 00	Time Stamp	WK22 2000-05-29	Wk23 2000-06-05	4 2000-06-12	Wk25 2000-06-19	Wk26 2000-06-26		121	Sample date: 2000-05-29	Exit	
Rep			2	Wk2	Wk24	Wk2	Wk2	∇	7	S	L	